



UNDERCOUNTER/WORKTOP & FOOD PREP

SPEC PACKAGE SERIES

WWW.TRUEMFG.COM

PROFESSIONAL GRADE UNDERCOUNTER/WORKTOP AND FOOD PREP REFRIGERATION



CONTENTS

Undercounters **2**

Worktops..... **3**


Sandwich/Salad Prep Tables..... **5**

Food Prep Tables..... **8**

Pizza Prep Tables **9**

THE TRUE® SPECIFICATION SERIES TUC/TWT FEATURES

- Stainless steel front, countertop, sides, and back.
- Interior features stainless steel liner and stainless steel floor with coved corners.
- Heavy-duty 16 gauge top and 20 gauge doors/drawer fronts.
- Countertop is flush with front of doors and drawers.
- Lifetime-guaranteed heavy duty all metal working spec door/drawer handle.
- Exterior digital temperature control and display.
- Heavy-duty gray PVC-coated wire shelves on door sections.
- Heavy-duty stainless steel drawer slides and rollers are removable without tools for easy cleaning.
- Door locks standard (drawer units excluded).



UNDERCOUNTER

Model	Cabinet Dimensions W x D† x H*	Doors/ Drawers	HP	Amps	Crated Weight
SOLID DOOR REFRIGERATORS					
TUC-24-HC~SPEC1	24 x 24¾ x 31½	1/0	⅓	2.0	155
TUC-27-HC~SPEC1	27½ x 29½ x 29¾	1/0	⅓	2.0	195
TUC-36-HC~SPEC1	36½ x 29½ x 29¾	2/0	⅓	2.0	TBD
TUC-48-HC~SPEC1	48½ x 29½ x 29¾	2/0	⅓	2.0	260
TUC-60-HC~SPEC1	60½ x 29½ x 29¾	2/0	¼	4.0	325
TUC-72-HC~SPEC1	72½ x 29½ x 29¾	3/0	¼	4.0	405
GLASS DOOR REFRIGERATORS					
TUC-27G-HC~SPEC1	27½ x 29½ x 29¾	1/0	⅓	2.0	195
TUC-48G-HC~SPEC1	48½ x 29½ x 29¾	2/0	⅓	3.0	305
TUC-60G-HC~SPEC1	60½ x 29½ x 29¾	2/0	¼	4.0	TBD
REFRIGERATORS WITH DRAWERS OR DOOR/DRAWER COMBO					
TUC-27D-2-HC~SPEC1	27½ x 29½ x 29¾	0/2	⅓	2.0	225
TUC-48D-2-HC~SPEC1	48½ x 29½ x 29¾	1/2	⅓	3.0	305
TUC-48D-4-HC~SPEC1	48½ x 29½ x 29¾	0/4	⅓	3.0	330
TUC-60D-2-HC~SPEC1	60½ x 29½ x 29¾	1/2	¼	4.0	TBD
TUC-60D-4-HC~SPEC1	60½ x 29½ x 29¾	0/4	¼	4.0	TBD
SOLID DOOR FREEZERS					
TUC-27F-HC~SPEC1	27½ x 29½ x 29¾	1/0	¼	2.3	190
TUC-48F-HC~SPEC1	48½ x 29½ x 29¾	2/0	½	3.2	290
TUC-60F-HC~SPEC1	60½ x 29½ x 29¾	2/0	½	4.8	370
FREEZERS WITH DRAWERS					
TUC-27F-D-2-HC~SPEC1	27½ x 29½ x 29¾	0/2	¼	2.3	220
TUC-48F-D-4-HC~SPEC1	48½ x 29½ x 29¾	0/4	½	5.4	325

Model	Cabinet Dimensions W x D† x H*	Doors/ Drawers	HP	Amps	Crated Weight
DEEP SOLID DOOR REFRIGERATORS					
TUC-44~SPEC1	44½ x 32¼ x 29¾	1/0	⅓	5.1	290
TUC-60-32~SPEC1	60¼ x 32¼ x 29¾	2/0	⅓	5.1	365
TUC-67~SPEC1	67¼ x 32¼ x 29¾	2/0	⅓	5.1	385
TUC-93~SPEC1	93¼ x 32¼ x 29¾	3/0	⅓	4.5	545
DEEP REFRIGERATORS WITH DRAWERS OR DOOR/DRAWER COMBO					
TUC-44D-2~SPEC1	44½ x 32¼ x 29¾	0/2	⅓	5.1	285
TUC-60-32D-2~SPEC1	60¼ x 32¼ x 29¾	1/2	⅓	5.1	365
TUC-67D-2~SPEC1	67¼ x 32¼ x 29¾	1/2	⅓	5.1	425
TUC-67D-4~SPEC1	67¼ x 32¼ x 29¾	0/4	⅓	5.1	480
TUC-93D-2~SPEC1	93¼ x 32¼ x 29¾	2/2	⅓	4.5	575
TUC-93D-4~SPEC1	93¼ x 32¼ x 29¾	1/4	⅓	4.5	635
TUC-93D-6~SPEC1	93¼ x 32¼ x 29¾	0/6	⅓	4.5	680
DEEP SOLID DOOR FREEZERS					
TUC-44F~SPEC1	44½ x 32¼ x 29¾	1/0	½	7.0	300
TUC-60-32F~SPEC1	60¼ x 32¼ x 29¾	2/0	½	7.0	370
TUC-67F~SPEC1	67¼ x 32¼ x 29¾	2/0	½	7.0	425


† Depth does not include 1¾" (45 mm) for door handles.

‡ Depth does not include 1" (26mm) for rear bumpers or ¼" (7mm) for front bumper.


* Height does not include 6¼" (159mm) for castors or 6" (153mm) for optional legs.

note: Door/drawer combination cabinets require customer to designate door/drawer orientation.

Tray slide kits available for deep TUC and TWT models. See Accessories.



Available Height Options



WORKTOP

Model	Cabinet Dimensions W x D† x H*	Doors/ Drawers	HP	Amps	Crated Weight
-------	-----------------------------------	-------------------	----	------	------------------

SOLID DOOR REFRIGERATORS

TWT-27-HC~SPEC1	27 ⁷ / ₈ x 29 ¹ / ₈ x 33 ¹ / ₄	1/0	¹ / ₅	2.0	195
TWT-36-HC~SPEC1	36 ³ / ₈ x 29 ¹ / ₈ x 33 ¹ / ₄	2/0	¹ / ₅	2.0	235
TWT-48-HC~SPEC1	48 ³ / ₈ x 29 ¹ / ₈ x 33 ¹ / ₄	2/0	¹ / ₅	2.0	280
TWT-60-HC~SPEC1	60 ³ / ₈ x 29 ¹ / ₈ x 33 ¹ / ₄	2/0	¹ / ₄	4.0	TBD
TWT-72-HC~SPEC1	72 ³ / ₈ x 29 ¹ / ₈ x 33 ¹ / ₄	3/0	¹ / ₄	4.0	405

REFRIGERATORS WITH DRAWERS OR DOOR/DRAWER COMBO

TWT-27D-2-HC~SPEC1	27 ⁷ / ₈ x 29 ¹ / ₈ x 33 ¹ / ₄	0/2	¹ / ₅	2.0	215
TWT-48D-2-HC~SPEC1	48 ³ / ₈ x 29 ¹ / ₈ x 33 ¹ / ₄	1/2	¹ / ₅	3.0	315
TWT-48D-4-HC~SPEC1	48 ³ / ₈ x 29 ¹ / ₈ x 33 ¹ / ₄	0/4	¹ / ₅	3.0	330
TWT-60D-2-HC~SPEC1	60 ³ / ₈ x 29 ¹ / ₈ x 33 ¹ / ₄	1/2	¹ / ₄	4.0	TBD
TWT-60D-4-HC~SPEC1	60 ³ / ₈ x 29 ¹ / ₈ x 33 ¹ / ₄	0/4	¹ / ₄	4.0	TBD

SOLID DOOR FREEZERS

TWT-27F-HC~SPEC1	27 ⁷ / ₈ x 29 ¹ / ₈ x 33 ¹ / ₄	1/0	¹ / ₄	2.3	210
TWT-48F-HC~SPEC1	48 ³ / ₈ x 29 ¹ / ₈ x 33 ¹ / ₄	2/0	¹ / ₂	3.2	285
TWT-60F-HC~SPEC1	60 ³ / ₈ x 29 ¹ / ₈ x 33 ¹ / ₄	2/0	¹ / ₂	4.8	375

DEEP SOLID DOOR REFRIGERATORS

TWT-44~SPEC1	44 ¹ / ₂ x 32 ¹ / ₄ x 33 ¹ / ₄	1/0	¹ / ₅	5.1	285
TWT-60-32~SPEC1	60 ¹ / ₄ x 32 ¹ / ₄ x 33 ¹ / ₄	2/0	¹ / ₅	5.1	360
TWT-67~SPEC1	67 ¹ / ₄ x 32 ¹ / ₄ x 33 ¹ / ₄	2/0	¹ / ₅	5.1	420
TWT-93~SPEC1	93 ¹ / ₄ x 32 ¹ / ₄ x 33 ¹ / ₄	3/0	¹ / ₅	4.5	545

DEEP REFRIGERATORS WITH DRAWERS OR DOOR/DRAWER COMBO

TWT-44D-2~SPEC1	44 ¹ / ₂ x 32 ¹ / ₄ x 33 ¹ / ₄	0/2	¹ / ₅	5.1	285
TWT-60-32D-2~SPEC1	60 ¹ / ₄ x 32 ¹ / ₄ x 33 ¹ / ₄	1/2	¹ / ₅	5.1	395
TWT-67D-2~SPEC1	67 ¹ / ₄ x 32 ¹ / ₄ x 33 ¹ / ₄	1/2	¹ / ₅	5.1	430
TWT-67D-4~SPEC1	67 ¹ / ₄ x 32 ¹ / ₄ x 33 ¹ / ₄	0/4	¹ / ₅	5.1	495
TWT-93D-2~SPEC1	93 ¹ / ₄ x 32 ¹ / ₄ x 33 ¹ / ₄	2/2	¹ / ₅	4.5	575
TWT-93D-4~SPEC1	93 ¹ / ₄ x 32 ¹ / ₄ x 33 ¹ / ₄	1/4	¹ / ₅	4.5	610
TWT-93D-6~SPEC1	93 ¹ / ₄ x 32 ¹ / ₄ x 33 ¹ / ₄	0/6	¹ / ₅	4.5	680

DEEP SOLID DOOR FREEZERS

TWT-44F~SPEC1	44 ¹ / ₂ x 32 ¹ / ₄ x 33 ¹ / ₄	1/0	¹ / ₂	7.0	305
TWT-60-32F~SPEC1	60 ¹ / ₄ x 32 ¹ / ₄ x 33 ¹ / ₄	2/0	¹ / ₂	7.0	385
TWT-67F~SPEC1	67 ¹ / ₄ x 32 ¹ / ₄ x 33 ¹ / ₄	2/0	¹ / ₂	7.0	435

† Depth does not include 1³/₄" (45 mm) for door handles.

‡ Depth does not include 1" (26mm) for rear bumpers or ¹/₄" (7mm) for front bumper.

* Height does not include 6¹/₄" (159mm) for castors or 6" (153mm) for optional legs.

note: Door/drawer combination cabinets require customer to designate door/drawer orientation.



TUC-27-HC~SPEC1



TWT-48D-2-HC~SPEC1



TWT-60D-2-HC~SPEC1



THE TRUE® SPECIFICATION SERIES TSSU/TFP/TPP FEATURES

- Stainless steel front, sides and back.
- Interior features stainless steel liner and stainless steel floor with coved corners.
- Heavy-duty 20 gauge doors/ drawer fronts.
- Lifetime-guaranteed heavy duty all metal working spec door/drawer handle.
- Exterior digital temperature control and display.
- Heavy-duty gray PVC-coated wire shelves on door sections.
- Heavy-duty stainless steel drawer slides and rollers are removable without tools for easy cleaning.



SANDWICH/SALAD

Model	Doors/Drawers	Shelves	Dimensions W** x D† x H*	HP	Amps	Crated Weight (lbs.)	Number of 1/6 Pans (top)
TSSU-27-08-HC~SPEC1	1 / 0	2	27 $\frac{3}{8}$ x 30 $\frac{1}{8}$ x 36 $\frac{3}{4}$	$\frac{1}{8}$	3.5	102	
TSSU-36-08-HC~SPEC1	2 / 0	4	36 $\frac{3}{8}$ x 30 $\frac{1}{8}$ x 36 $\frac{3}{4}$	$\frac{1}{4}$	4.5	116	
TSSU-48-08-HC~SPEC1	2 / 0	4	48 $\frac{3}{8}$ x 30 $\frac{1}{8}$ x 36 $\frac{3}{4}$	$\frac{1}{8}$	5.8	134	
TSSU-48-10-HC~SPEC1	2 / 0	4	48 $\frac{3}{8}$ x 30 $\frac{1}{8}$ x 36 $\frac{3}{4}$	$\frac{1}{8}$	5.8	136	
TSSU-48-12-HC~SPEC1	2 / 0	4	48 $\frac{3}{8}$ x 30 $\frac{1}{8}$ x 36 $\frac{3}{4}$	$\frac{1}{8}$	5.8	155	
TSSU-60-08-HC~SPEC1	2 / 0	4	60 $\frac{3}{8}$ x 30 $\frac{1}{8}$ x 36 $\frac{3}{4}$	$\frac{1}{8}$	6.5	155	
TSSU-60-10-HC~SPEC1	2 / 0	4	60 $\frac{3}{8}$ x 30 $\frac{1}{8}$ x 36 $\frac{3}{4}$	$\frac{1}{8}$	6.5	166	
TSSU-60-12-HC~SPEC1	2 / 0	4	60 $\frac{3}{8}$ x 30 $\frac{1}{8}$ x 36 $\frac{3}{4}$	$\frac{1}{8}$	6.5	171	
TSSU-60-16-HC~SPEC1	2 / 0	4	60 $\frac{3}{8}$ x 30 $\frac{1}{8}$ x 36 $\frac{3}{4}$	$\frac{1}{8}$	6.5	164	
TSSU-72-08-HC~SPEC1	3 / 0	6	72 $\frac{3}{8}$ x 30 $\frac{1}{8}$ x 36 $\frac{3}{4}$	$\frac{1}{2}$	7.2	198	
TSSU-72-10-HC~SPEC1	3 / 0	6	72 $\frac{3}{8}$ x 30 $\frac{1}{8}$ x 36 $\frac{3}{4}$	$\frac{1}{2}$	7.2	198	
TSSU-72-12-HC~SPEC1	3 / 0	6	72 $\frac{3}{8}$ x 30 $\frac{1}{8}$ x 36 $\frac{3}{4}$	$\frac{1}{2}$	7.2	202	
TSSU-72-16-HC~SPEC1	3 / 0	6	72 $\frac{3}{8}$ x 30 $\frac{1}{8}$ x 36 $\frac{3}{4}$	$\frac{1}{2}$	7.2	200	
TSSU-72-18-HC~SPEC1	3 / 0	6	72 $\frac{3}{8}$ x 30 $\frac{1}{8}$ x 36 $\frac{3}{4}$	$\frac{1}{2}$	7.2	202	
TSSU-27-08D-2-HC~SPEC1	0 / 2	N/A	27 $\frac{3}{8}$ x 30 $\frac{1}{8}$ x 36 $\frac{3}{4}$	$\frac{1}{8}$	3.5	102	
TSSU-48-12D-2-HC~SPEC1	1 / 2	2	48 $\frac{3}{8}$ x 30 $\frac{1}{8}$ x 36 $\frac{3}{4}$	$\frac{1}{8}$	5.8	155	
TSSU-48-12D-4-HC~SPEC1	0 / 4	N/A	48 $\frac{3}{8}$ x 30 $\frac{1}{8}$ x 36 $\frac{3}{4}$	$\frac{1}{8}$	5.8	155	
TSSU-60-16D-2-HC~SPEC1	1 / 2	2	60 $\frac{3}{8}$ x 30 $\frac{1}{8}$ x 36 $\frac{3}{4}$	$\frac{1}{8}$	6.5	184	
TSSU-60-16D-4-HC~SPEC1	0 / 4	N/A	60 $\frac{3}{8}$ x 30 $\frac{1}{8}$ x 36 $\frac{3}{4}$	$\frac{1}{8}$	6.5	191	

All dimensions rounded up to the nearest 1/8".

All models listed are available with optional crumb catcher.

All models listed are available with optional 19" (483mm) cutting board (excludes drawered models).

† Depth does not include 1" (26mm) for rear bumpers.

* Height does not include 6 1/4" (159mm) for castors or 6" (153mm) for optional legs. Height for all units are with the lid(s) closed.

** Width dimension does not include 1/8" (4mm) (each side) for lid pins, TSSU-27's only.

note: Door/drawer combination cabinets require customer to designate door/drawer orientation.

note: All models available with optional 3" (77mm) ADA compliant castors for 34" (864mm) work surface height.

DUAL SIDED SANDWICH/SALAD

Model	Doors/Drawers	Shelves	Dimensions W** x D† x H*	HP	Amps	Crated Weight (lbs.)	Number of 1/6 Pans (top)
TSSU-60-16-DS-ST-HC~SPEC1	2 / 0	4	60 $\frac{3}{8}$ x 38 $\frac{3}{4}$ x 31 $\frac{1}{8}$	$\frac{1}{8}$	6.5	193	

All dimensions rounded up to the nearest 1/8".

All models listed are available with optional crumb catcher.

* Height does not include 6 1/4" (159mm) for castors or 6" (153mm) for optional legs. Height for all units are with the lids closed.

note: All models available with optional 3" (77mm) ADA compliant castors for 34" (864mm) work surface height.



TSSU-27-08D-2-HC~SPEC1



TSSU-36-08-HC~SPEC1



TSSU-60-08-HC~SPEC1



TSSU-60-16D-4-HC~SPEC1

MEGA-TOP SANDWICH/SALAD

Model	Doors/Drawers	Shelves	Dimensions W** x D† x H*	HP	Amps	Crated Weight (lbs.)	Number of 1/6 Pans (top)
TSSU-27-12M-B-HC~SPEC1	1 / 0	2	27 $\frac{3}{8}$ x 34 $\frac{1}{8}$ x 40 $\frac{3}{8}$	$\frac{1}{8}$	3.5	102	
TSSU-27-12M-C-HC~SPEC1	1 / 0	2	27 $\frac{3}{8}$ x 34 $\frac{1}{8}$ x 40 $\frac{3}{8}$	$\frac{1}{8}$	3.5	102	
TSSU-36-12M-B-HC~SPEC1	2 / 0	4	36 $\frac{3}{8}$ x 34 $\frac{1}{8}$ x 40 $\frac{3}{8}$	$\frac{1}{4}$	4.5	118	
TSSU-48-12M-B-HC~SPEC1	2 / 0	4	48 $\frac{3}{8}$ x 34 $\frac{1}{8}$ x 40 $\frac{3}{8}$	$\frac{1}{8}$	5.8	155	
TSSU-48-15M-B-HC~SPEC1	2 / 0	4	48 $\frac{3}{8}$ x 34 $\frac{1}{8}$ x 40 $\frac{3}{8}$	$\frac{1}{8}$	5.8	141	
TSSU-48-18M-B-HC~SPEC1	2 / 0	4	48 $\frac{3}{8}$ x 34 $\frac{1}{8}$ x 40 $\frac{3}{8}$	$\frac{1}{8}$	5.8	141	
TSSU-60-12M-B-HC~SPEC1	2 / 0	4	60 $\frac{3}{8}$ x 34 $\frac{1}{8}$ x 40 $\frac{3}{8}$	$\frac{1}{8}$	6.5	168	
TSSU-60-15M-B-HC~SPEC1	2 / 0	4	60 $\frac{3}{8}$ x 34 $\frac{1}{8}$ x 40 $\frac{3}{8}$	$\frac{1}{8}$	6.5	168	
TSSU-60-18M-B-HC~SPEC1	2 / 0	4	60 $\frac{3}{8}$ x 34 $\frac{1}{8}$ x 40 $\frac{3}{8}$	$\frac{1}{8}$	6.5	175	
TSSU-60-24M-B-ST-HC~SPEC1	2 / 0	4	60 $\frac{3}{8}$ x 34 $\frac{1}{8}$ x 40 $\frac{3}{8}$	$\frac{1}{8}$	6.5	175	
TSSU-72-12M-B-HC~SPEC1	3 / 0	6	72 $\frac{3}{8}$ x 34 $\frac{1}{8}$ x 40 $\frac{3}{8}$	$\frac{1}{2}$	7.2	200	
TSSU-72-15M-B-HC~SPEC1	3 / 0	6	72 $\frac{3}{8}$ x 34 $\frac{1}{8}$ x 40 $\frac{3}{8}$	$\frac{1}{2}$	7.2	202	
TSSU-72-18M-B-HC~SPEC1	3 / 0	6	72 $\frac{3}{8}$ x 34 $\frac{1}{8}$ x 40 $\frac{3}{8}$	$\frac{1}{2}$	7.2	202	
TSSU-72-24M-B-ST-HC~SPEC1	3 / 0	6	72 $\frac{3}{8}$ x 34 $\frac{1}{8}$ x 40 $\frac{3}{8}$	$\frac{1}{2}$	7.2	207	
TSSU-72-30M-B-ST-HC~SPEC1	3 / 0	6	72 $\frac{3}{8}$ x 34 $\frac{1}{8}$ x 40 $\frac{3}{8}$	$\frac{1}{2}$	7.2	214	

† Depth does not include 1" for rear bumpers.

* Height does not include 6 $\frac{1}{4}$ " (159mm) for castors or 6" (153mm) for optional legs. Height for all units are with the lid(s) closed.

** Width dimension does not include $\frac{1}{8}$ " (4mm) (each side) for lid pins, TSSU-27's only.

Note: M-B model standard with nine $\frac{1}{6}$ and three $\frac{1}{3}$ size pans.

Note: All models available with optional 3" (77mm) ADA compliant castors for 34" (864mm) work surface height.

All dimensions rounded up to the nearest $\frac{1}{8}$ ".



TSSU-27-12M-B-HC~SPEC1



TSSU-36-12M-B-HC~SPEC1



TSSU-60-12M-B-HC~SPEC1



TSSU-72-24M-B-ST-HC~SPEC1

DUAL SIDED MEGA-TOP SANDWICH/SALAD

Model	Doors/Drawers	Shelves	Dimensions W** x D† x H*	HP	Amps	Crated Weight (lbs.)	Number of 1/6 Pans (top)
TSSU-60-24M-B-DS-ST-HC~SPEC1	2 / 0	4	60 ³ / ₈ x 40 ³ / ₈ x 31 ³ / ₈	1/3	6.5	191	
TSSU-72-30M-B-DS-ST-HC~SPEC1	3 / 0	6	72 ³ / ₈ x 41 ⁷ / ₈ x 31 ³ / ₈	1/2	7.2	223	

** Width dimension does not include 1/4" (7mm) (each side) for cutting board brackets.

All dimensions rounded up to the nearest 1/8".

† Depth does not include 3 1/8" (80mm) each side on TSSU-60-24M-B-DS-ST or 2 3/8" (61mm) each side on TSSU-72-30M-B-DS-ST for cutting boards.

* Height does not include 6 1/4" (159mm) for castors or 6" (153mm) for optional legs. Height for all units are with the lid(s) closed.

Note: All models available with optional 3" (77mm) ADA compliant castors for 34" (864mm) work surface height.

MEGA-TOP SANDWICH/SALAD UNITS WITH FLAT GLASS LIDS

Model	Doors/Drawers	Shelves	Dimensions W** x D† x H*	HP	Amps	Crated Weight (lbs.)	Number of 1/6 Pans (top)
TSSU-48-18M-B-FGLID-HC~SPEC1	2 / 0	4	48 ³ / ₈ x 34 ⁷ / ₈ x 31 ⁷ / ₈	1/3	5.8	145	
TSSU-60-24M-B-ST-FGLID-HC~SPEC1	2 / 0	4	60 ³ / ₈ x 34 ⁷ / ₈ x 31 ⁷ / ₈	1/3	6.5	168	
TSSU-72-30M-B-ST-FGLID-HC~SPEC1	3 / 0	6	72 ³ / ₈ x 34 ⁷ / ₈ x 31 ⁷ / ₈	1/2	7.2	213	

† Depth does not include 1" for rear bumpers.

All dimensions rounded up to the nearest 1/8".

* Height does not include 6 1/4" (159mm) for castors or 6" (153mm) for optional legs. Height for all units are with the lid(s) closed.

Note: M-B model standard with nine 1/6 and three 1/3 size pans.

note: All models available with optional 3" (77mm) ADA compliant castors for 34" (864mm) work surface height.



TSSU-60-24M-B-DS-ST-HC~SPEC1



TSSU-72-30M-B-DS-ST-HC~SPEC1



TSSU-48-18M-B-FGLID-HC~SPEC1



TSSU-60-24M-B-ST-FGLID-HC~SPEC1

FOOD PREP UNITS

Model	Doors/Drawers	Shelves	Dimensions W x D† x H*	HP	Amps	Crated Weight (lbs.)	Number of 1/6 Pans (top)
TFP-32-12M~SPEC1	1 / 0	2	32½ x 31½ x 45¾	½	3.3	143	
TFP-48-18M~SPEC1	2 / 0	4	48½ x 31½ x 45¾	½	2.9	218	
TFP-64-24M~SPEC1	2 / 0	4	64½ x 31½ x 45¾	½	4.8	259	
TFP-72-30M~SPEC1	3 / 0	6	72½ x 31½ x 45¾	½	5.1	241	
TFP-32-12M-D-2~SPEC1	0 / 2	N/A	32½ x 31½ x 45¾	½	3.3	143	
TFP-48-18M-D-2~SPEC1	1 / 2	2	48½ x 31½ x 45¾	½	2.9	218	
TFP-48-18M-D-4~SPEC1	0 / 4	N/A	48½ x 31½ x 45¾	½	2.9	218	
TFP-64-24M-D-2~SPEC1	1 / 2	2	64½ x 31½ x 45¾	½	4.8	259	
TFP-64-24M-D-4~SPEC1	0 / 4	N/A	64½ x 31½ x 45¾	½	4.8	259	
TFP-72-30M-D-2~SPEC1	2 / 2	4	72½ x 31½ x 45¾	½	5.1	288	
TFP-72-30M-D-4~SPEC1	1 / 4	2	72½ x 31½ x 45¾	½	5.1	288	
TFP-72-30M-D-6~SPEC1	0 / 6	N/A	72½ x 31½ x 45¾	½	5.1	288	

† Depth does not include 2" (51mm) for cutting board.

* Height does not include ¾" (19mm) for castors. Height for all units are with the lid(s) closed.

All dimensions rounded up to the nearest 1/8".

FOOD PREP UNITS WITH FLAT GLASS LID

Model	Doors/Drawers	Shelves	Dimensions W x D† x H*	HP	Amps	Crated Weight (lbs.)	Number of 1/6 Pans (top)
TFP-48-18M-FGLID~SPEC1	2 / 0	4	48½ x 32¼ x 37¼	½	2.9	TBD	
TFP-64-24M-FGLID~SPEC1	2 / 0	4	64½ x 32¼ x 37¼	½	4.8	259	
TFP-72-30M-FGLID~SPEC1	3 / 0	6	72½ x 32¼ x 37¼	½	5.1	TBD	

† Depth does not include 2¼" (57mm) for cutting board.

* Height does not include ¾" (19mm) for castors. Height does not include 21½" (550mm) for open lid.
Total height with castors and lid open is 59½" (1515 mm).

All dimensions rounded up to the nearest 1/8".



TFP-32-12M~SPEC1



TFP-48-18M-D-2~SPEC1



TFP-32-12M-D-2~SPEC1



TFP-64-24M-D-4~SPEC1

PIZZA PREP TABLES

Model	Doors/Drawers	Shelves	Dimensions W** x D† x H*	HP	Amps	Crated Weight (lbs.)	Number of 1/3 Pans (top)
TPP-44~SPEC1	1 / 0	2	44½ x 33⅝ x 35⅝	⅓	8.6	150	10
TPP-60~SPEC1	2 / 0	4	60¼ x 33⅝ x 35⅝	⅓	7.9	184	12
TPP-67~SPEC1	2 / 0	4	67¼ x 33⅝ x 35⅝	⅓	8.6	205	14
TPP-93~SPEC1	3 / 0	6	93¼ x 33⅝ x 35⅝	½	9.7	275	18
TPP-119~SPEC1	4 / 0	8	119¼ x 33⅝ x 35⅝	½	10.8	347	24
TPP-44D-2~SPEC1	0 / 2	N/A	44½ x 33⅝ x 35⅝	⅓	8.6	168	10
TPP-60D-2~SPEC1	1 / 2	2	60¼ x 33⅝ x 35⅝	⅓	7.9	202	12
TPP-67D-2~SPEC1	1 / 2	2	67¼ x 33⅝ x 35⅝	⅓	8.6	220	14
TPP-67D-4~SPEC1	0 / 4	N/A	67¼ x 33⅝ x 35⅝	⅓	8.6	248	16
TPP-93D-2~SPEC1	2 / 2	4	93¼ x 33⅝ x 35⅝	½	9.7	286	18
TPP-93D-4~SPEC1	1 / 4	2	93¼ x 33⅝ x 35⅝	½	9.7	309	20
TPP-93D-6~SPEC1	0 / 6	N/A	93¼ x 33⅝ x 35⅝	½	9.7	334	22
TPP-119D-2~SPEC1	3 / 2	6	119¼ x 33⅝ x 35⅝	½	10.8	377	24
TPP-119D-4~SPEC1	2 / 4	4	119¼ x 33⅝ x 35⅝	½	10.8	395	26
TPP-119D-6~SPEC1	1 / 6	2	119¼ x 33⅝ x 35⅝	½	10.8	393	28
TPP-119D-8~SPEC1	0 / 8	N/A	119¼ x 33⅝ x 35⅝	½	10.8	438	32

** Width dimension does not include ¼" (7mm) (each side) for cutting board brackets.

All dimensions rounded up to the nearest ⅛".

** Width dimension does not include ⅜" (10mm) (each side) for lid pins on the TPP-60, TPP-60D-2, TPP-67, TPP-67D-2 & TPP-67D-4.

† Depth dimension does not include 3" (77mm) for cutting boards.

† Depth does not include 1" (26mm) for rear bumpers or ¼" (7mm) for front bumper.

* Height does not include 6¼" (159mm) for castors or 6" (153mm) for optional legs. Height for all units are with the lid(s) closed.

note: Door/drawer combination cabinets require customer to designate door/drawer orientation.



Tray slide kits available
for TPP models.
See Accessories.



TPP-44-HC~SPEC1



TPP-60D-2-HC~SPEC1



TPP-119-2-HC~SPEC1



TPP-93D-6-HC~SPEC1

FLAT LID OPTION (TSSU MODELS)

Description	Number of Lids	Number of Pans	Item Number
Standard TSSU's			
TSSU-27-08-HC	1	8	920232-FI
TSSU-36-08	1	8	920051-FI
TSSU-48-08-HC	1	8	920051-FI
TSSU-48-10-HC	1	10	920052-FI
TSSU-48-12-HC	1	12	920053-FI
TSSU-60-08-HC	1	8	920051-FI
TSSU-60-10-HC	1	10	920052-FI
TSSU-60-12-HC	1	12	920053-FI
TSSU-60-16-HC*	2	8 / 8	920054-FI
TSSU-72-08-HC	1	8	920051-FI
TSSU-72-10-HC	1	10	920052-FI
TSSU-72-12-HC	1	12	920053-FI
TSSU-72-16-HC*	2	8 / 8	920054-FI
TSSU-72-18-HC*	2	10 / 8	920477-FI

*Unit now becomes a split top with two pan openings.

Note: Flat lids are factory installed, contact customer service for lead time.

FLAT LID OPTION (TSSU MEGA TOP MODELS)

Description	Number of Lids	Number of Pans	Item Number
Mega Top TSSU's			
TSSU-27-12M-B/-C-HC	1	12	920233-FI
TSSU-36-12M-B	1	12	920056-FI
TSSU-48-12M-B-HC	1	12	920056-FI
TSSU-48-15M-B-HC	1	15	920057-FI
TSSU-48-18M-B-HC	1	18	920067-FI
TSSU-60-12M-B-HC	1	12	920056-FI
TSSU-60-15M-B-HC	1	15	920057-FI
TSSU-60-18M-B-HC	1	18	920067-FI
TSSU-60-24M-B-ST-HC	2	12 / 12	955549-FI
TSSU-72-12M-B-HC	1	12	920056-FI
TSSU-72-15M-B-HC	1	15	920057-FI
TSSU-72-18M-B-HC	1	18	920067-FI
TSSU-72-24M-B-ST-HC	2	12 / 12	920058-FI
TSSU-72-30M-B-ST-HC	2	12 / 18	920059-FI

Note: Flat lids are factory installed, contact customer service for lead time.



TSSU flat lid option




Bracket hardware utilizes existing screw holes.

Telescoping Hood & Topping Catcher options are available for all existing variations and voltages of TPP series models.
Telescoping Hood & Topping Catcher options are available separately or combined.
Telescoping Hood & Topping Catcher options are not field retrofitable.
Note: contact factory for further information.



Description	Standard	Dimensions	Item Number
<i>Pan Dividers For Condiment Pans (top of cabinet)</i>			
TSSU-27-08-HC	✓	1" D x 25" W	925283
TSSU-27-08-HC		7/8" D x 25" W	925451
TSSU-27-08-HC		7/8" D x 25" W	925452
TSSU Mega	✓	1" D x 20 1/16" W	925282
TSSU Mega		1 5/16" D x 20 7/16" W	925453
TSSU Mega		7/8" D x 20 7/16" W	925454
TSSU Non-Mega & TPP		1 1/16" D x 12 3/8" W	861273
TSSU Non-Mega & TPP		1 5/16" D x 12 3/8" W	865597
TSSU Non-Mega & TPP	✓	2 7/32" D x 12 3/8" W	864266
TSSU Non-Mega & TPP		1" D x 12 1/16" W	925281
<i>Pan Dividers For Drawers</i>			
TPP & Deep Undercounters/ Worktops		1 1/16" D x 12 3/32" W	921493
TPP & Deep Undercounters/ Worktops	✓	1 1/16" D x 20 3/16" W	921745
TRCB*	✓	1 5/32" D x 21 1/32" W	867675

* Two pan dividers per drawer standard on TRCB-52's, TRCB-96 and left side drawers of TRCB-82's.
Note: Pan dividers not standard on TPP models.



OVERSHELVES


Description	Dimensions	Item Number
Single Overshelves		
TSSU/TUC/TWT-27 & Mega-HC	(27 $\frac{5}{8}$ "W x 16"D x 20 $\frac{1}{32}$ "H*)	914976
TSSU/TUC/TWT-36 & Mega	(36 $\frac{3}{8}$ "W x 16"D x 20 $\frac{1}{32}$ "H*)	914977
TSSU/TUC/TWT-48 & Mega-HC	(48 $\frac{3}{8}$ "W x 16"D x 20 $\frac{1}{32}$ "H*)	914978
TSSU/TUC/TWT-60 & Mega-HC	(60 $\frac{3}{8}$ "W x 16"D x 20 $\frac{1}{32}$ "H*)	915702
TSSU/TUC/TWT-72 & Mega-HC	(72 $\frac{3}{8}$ "W x 16"D x 20 $\frac{1}{32}$ "H*)	914980
TPP/TUC/TWT-44	(44 $\frac{5}{8}$ "W x 16"D x 20 $\frac{1}{32}$ "H*)	915048
TPP-60, TUC/TWT-60-32	(60 $\frac{3}{8}$ "W x 16"D x 20 $\frac{1}{32}$ "H*)	915702
TPP/TUC/TWT-67	(67 $\frac{3}{8}$ "W x 16"D x 20 $\frac{1}{32}$ "H*)	915049
TFP-32	(32 $\frac{3}{8}$ "W x 16"D x 43 $\frac{1}{2}$ "H*)	958621
TFP-48	(48 $\frac{3}{8}$ "W x 16"D x 43 $\frac{1}{2}$ "H*)	958615
TFP-64	(64 $\frac{3}{8}$ "W x 16"D x 43 $\frac{1}{2}$ "H*)	958617
TFP-72	(72 $\frac{3}{8}$ "W x 16"D x 43 $\frac{1}{2}$ "H*)	958619
Double Overshelves		
TSSU/TUC/TWT-27 & Mega-HC	(27 $\frac{5}{8}$ "W x 16"D x 33 $\frac{1}{32}$ "H*)	914981
TSSU/TUC/TWT-36 & Mega	(36 $\frac{3}{8}$ "W x 16"D x 33 $\frac{1}{32}$ "H*)	914982
TSSU/TUC/TWT-48 & Mega-HC	(48 $\frac{3}{8}$ "W x 16"D x 33 $\frac{1}{32}$ "H*)	914983
TSSU/TPP/TUC/TWT-60 & Mega/TUC/TWT-60-32	(60 $\frac{3}{8}$ "W x 16"D x 33 $\frac{1}{32}$ "H*)	914984
TSSU/TUC/TWT-72 & Mega-HC	(72 $\frac{3}{8}$ "W x 16"D x 33 $\frac{1}{32}$ "H*)	914985
TPP/TUC/TWT-44	(44 $\frac{5}{8}$ "W x 16"D x 33 $\frac{1}{32}$ "H*)	915014
TPP/TUC/TWT-67	(67 $\frac{3}{8}$ "W x 16"D x 33 $\frac{1}{32}$ "H*)	915015
TFP-32	(32 $\frac{3}{8}$ "W x 16"D x 56 $\frac{1}{2}$ "H*)	958620
TFP-48	(48 $\frac{3}{8}$ "W x 16"D x 56 $\frac{1}{2}$ "H*)	958614
TFP-64	(64 $\frac{3}{8}$ "W x 16"D x 56 $\frac{1}{2}$ "H*)	958616
TFP-72	(72 $\frac{3}{8}$ "W x 16"D x 56 $\frac{1}{2}$ "H*)	958618

Made of heavy-gauge stainless steel.

* Indicates maximum height, single overshelves and lower shelf on double overshelves are adjustable.

Note: Overshelves not available for dual sided models.

Note: Overshelves not available for TPP-93 or -119 models.



Basic Overshelf (TSSU/TUC/TWT)



TSSU-48-12-HC (double overshelf)



Sandwich/Salad Service Shelf (TSSU/TUC/TWT)



TPP-67 (single overshelf)



Pizza Prep Service Shelf (TPP only)



TUC-67 (double overshelf)

TPP AND DEEP TUC/TWT SPEC KIT INTERIOR OPTIONS

Description
Spec Kit #1
(4) sets of #1-type tray slides and pilasters
Spec Kit #3
(3) sets of universal-type tray slides and pilasters
Other Options
#1-type tray slide for (1) 18" x 26" (458mm x 661mm), or (2) 14" x 18" (356mm x 458mm) pans - per set of 2
#3 universal-type tray slide for (1) 18" x 26" (458mm x 661mm), or (2) 12" x 20" (305mm x 458mm) pans - per set of 2

Note: When ordering interior kits, please indicate:

1. Model type

2. Interior kit type (#1-type, #3-type) and quantity

3. Section of unit in which kit will be used (left, center or right)

†Pilasters for TUC, TWT and TPP models are factory installed at no charge.

PLEASE NOTE: Lead time is required, depending on cabinet availability.

Type 1 - Angle-Type Tray Slide



16 ga. Stainless Steel
For Bottom Support of:
(1) 458mm x 661mm pan or
(2) 356mm x 458mm pans

Type 3 - Universal Tray Slide



16 ga. Stainless Steel
Angle Type for Bottom Support of:
(1) 458mm x 66mm pan or
(2) 356mm x 458mm pans or
(2) 305mm x 508mm pans



*Food Preparation Tables
Undercounters
Worktops
Traditional Reach-Ins
Underbar Refrigeration
Glass Door Merchandisers
Vertical Air Curtains
Spec Series®
Chef Bases
Display Cases*

**True manufactures the
widest range of professional
refrigeration products.**

truemfg.com

True
MANUFACTURING CO., INC.



UNDERCOUNTER/WORKTOP & FOOD PREP

SPEC PACKAGE SERIES



natural
refrigerant®

HYDROCARBON

ENERGY EFFICIENCY
PERFORMANCE
SAVINGS

True is committed to converting all their
refrigeration products to R290 before 2019.

* See spec sheets for specifics on transition of individual models.



TRUE MANUFACTURING CO., INC.

2001 East Terra Lane • O'Fallon, MO 63366-4434 • ph. 636.240.2400
toll free 800.325.6152 • fax 636.272.2408 • parts fax 636.272.9471

SD | AJ_1083 | 5/18

WWW.TRUEMFG.COM

